



ZIP System

TECHNICAL CATALOGUE

NEW ZIP SYSTEM


# Modern, effective, elegant... much more than a curtain

If you are looking for an effective and modern sun protection system, the new ZIP is for you: depending on the opening and the fabric, it is able to filter almost 100% of sunlight from the outside.

Available in several headbox sizes and multiple finishes to facilitate integration into the façade of your home. The zipper mechanism on the side guides ensures that the fabric holds up even in strong winds.

Our entire ZIP range is driven through tubular motors by remote control by radio or solar, making it easy to drive.

**Discover the best outdoor sun protection solution for your home!**



Perfect  
fit



Wind  
protection



Protection  
from the sun



Remote  
control




REF. 9185

## 90 mm Headbox



Reinforced 90 mm headbox. Reinforced tube of Ø 50 mm with reinforced lid. For systems up to 7 m wide.



### COMPATIBLE GUIDES



9824 + 9818



9826




30.011




\* Measurements in millimeters (mm)

REF. 9265

## 120 mm Headbox



Square headbox with Ø 80 mm tube for systems up to 5 meters wide. Greater interior capacity.



### COMPATIBLE GUIDES



9824 + 9818



9826



30.011






\* Measurements in millimeters (mm)

REF. 30.005





## 100 mm Headbox




Headbox with normal or reinforced bottom lid (depending on the width of the system). It can be installed integrated into ceilings or façades ❶ or visible with brackets ❷:



### Direct installation with headbox 30.005



### Installation in plasterboard headbox 30.004



#### COMPATIBLE GUIDES

9826



30.010





30.011





\* Measurements in millimeters (mm)

## Guides



9818 + 9824





9826



30.010



30.011



Guide systems through which the zipper is inserted for a total fit of the fabric.



We have different types of guides depending on the installation, which facilitates adaptation to the space. Thanks to the zipper guide of the fabric, **the blind withstands winds of up to 76 km/h and prevents the entry of light and insects from the outside, offering maximum protection** and integrating perfectly into the façade.

\* All guides in the ZIP system are composed of two clipped profiles.

## Motorization

The drive of this system is carried out by mechanical tubular motors, via radio or solar housed inside the winding shaft. Its electric operation provides a low noise level and allows ascent and descent of the blind is made without difficulty.

OPTIONAL SOLAR MOTOR ➔

Sustainable motorized system of easy installation: no cables, no connection to the electrical network.







© 2025, Sistemas Delfin. Edition 2025.08



C/ 8 Parcela 22, Polígono San Cibrao  
32901 San Cibrao das Viñas, Ourense, España

Tel. #1: **+34 988 239 316**

Tel. #2: +34 988 239 215

Fax: +34 988 230 477

[delfin@sistemasdelfin.com](mailto:delfin@sistemasdelfin.com)

[www.sistemasdelfin.com](http://www.sistemasdelfin.com)

